

### TechSoft CAD/CAM Workstations



*Shown here with RotoCamm MDX-40AE and computer (supplied separately).*

Creating appropriate workspaces with the right equipment levels is a familiar challenge for Design and Technology teachers, and particularly so when it comes to CAD/CAM equipment. Duplicating resources between rooms might be ideal, but most schools would struggle to find space or the budget to do this. Some schools have been able to develop a central CAD/CAM hub and others place key CAD/CAM resources in areas where all students will, at some point, be timetabled. Both strategies have their merits but a third is to move equipment to where it is needed, when it is needed. This flexible approach will, in addition, enable schools to quickly adapt teaching rooms in sympathy with curriculum developments.

To meet these needs, TechSoft have developed a range of workstations, each of which has been carefully designed to provide a complete, portable, 'Plug and Play' resource. The units are constructed for strength and smart appearance, and feature double-skin carcasses in key areas. Surfaces are selected for durability, and thick edge-lippings will help preserve appearances despite inevitable classroom knocks. The workstations move smoothly on lockable industrial grade castors.

All worktops are large enough for any TechSoft desktop-format CAM machine and a computer. Lockable cupboards contain a generous selection of trays for tooling, materials and space for a PC unit. Storage space is carefully configured to suit the designated application and, in the case of the milling/routing workstation, space for the included vacuum extractor. Mushroom-headed push-stop buttons with key-switch release, control the operation of the machine and extraction power outlets. Power status indicators allow a quick visual check if the machine is operational. The key-switch does not cut power to the PC, so work will not be lost. This gives the teacher flexible control over the use of the equipment. Where appropriate, an auto-switched outlet for the extraction system is provided, this also has a manual override for cleaning down. Cable management systems ensure safe, tidy and reliable performance. All extraction units provided, have external ventilation of the exhaust to prevent overheating.

*Power Requirements: 240V, 13A Socket*

### TechSoft Miller/Router Workstation



Simply add a PC and a TechSoft/Roland SRM-20E/MDX-40AE/DE-3E (pages 65-68), and you're ready to go. The unit is fully-wired with key-switch control of the machine and the extraction unit. The extractor is included and will auto-run on MDX-40A & DE-3E machines. Manual switching can be used with other models and for cleaning down. Status indicators monitor the built-in power sockets and these include power for the PC. The PC socket is not controlled by the stop button / key switch so work will not be lost. Central storage trays will accommodate a generous supply of materials and securely store all the necessary tooling.

Prices £		*See Pricing Information on page 2
<b>TF-WS3-C1</b>	TechSoft Mobile Workstation for Milling, 1400x800x850mm c/w underbench cupboards containing in-built sockets, auto-switched extractor with manual override, Gratnell trays and storage space for computer.	

### TechSoft Knife Cutting Workstation



The spacious worktop provides room for handling sheet or roll material for any TechSoft knife cutter up to and including the Roland CAMM 1 GS-24E (see page 34). Lockable storage space includes a PC bay, shelving for sheet material and drawers for several 500mm rolls of vinyl. The unit is fully-wired with key-switch control of machine power and one additional socket – possibly for use with a printer. Status indicators monitor the built-in power sockets and these include power for the PC. The PC socket is not controlled by the stop button / key switch so work will not be lost.

Prices £		*See Pricing Information on page 2
<b>TF-WS3-C2</b>	TechSoft Mobile Workstation for Knife Cutting, 1400x800x850mm c/w underbench cupboards containing in-built sockets, drawers, shelves and storage space for computer.	

### TechSoft Embroidery Workstation



This workstation comfortably accommodates a multi-needle embroidery machine (see pages 104-105) and computer. Priority has been given to storage for materials and the numerous small accessories needed for these machines. In this format, the workstation is effectively a multi-purpose unit that could be used for any number of applications. The unit is fully-wired with key-switch control of machine power and one additional socket. Status indicators monitor the built-in power sockets and these include power for the PC. The PC socket is not controlled by the stop button / key switch so work will not be lost.

Prices £*		*See Pricing Information on page 2
<b>TF-WS3-C2</b>	TechSoft Mobile Workstation for Embroidery, 1400x800x850mm c/w underbench cupboards containing in-built sockets, drawers, shelves and storage space for computer.	

### TechSoft Image Transfer Workstation



Laser Image Transfer (see pages 118-119) or Sublimation Printing (see page 120-121) requires a PC, printer, heat press and a selection of specialist materials. This workstation has been configured to provide separate key-switch operation of the heat press and printer. The key-switches do not cut power to the PC, so work will not be lost. Secure storage space is included for specialist materials that must not be allowed to become muddled with general print media.

Prices £*		*See Pricing Information on page 2
<b>TF-WS3-C2</b>	TechSoft Mobile Workstation for LIT, 1400x800x850mm c/w underbench cupboards containing in-built sockets, drawers, shelves and storage space for computer.	

### TechSoft Wheeled Stand/Cupboard

#### uPrint 3D Printer Wheeled Stand/Cupboard



The ideal partner for a uPrint 3D Printer which matches our other workstations in height, depth and appearance. This sturdily built unit has been designed specifically to present the printer at a convenient height so that students can see work in progress. The cabinet interior is furnished to store materials and to house all the maintenance and service tools supplied with the machine. Industrial grade locking castors and secure location of the printer feet allow the 3D Printer to be wheeled between rooms when needed.

Prices £*		*See Pricing Information on page 2
<b>TF-WS4-C1</b>	Wheeled Stand/Cupboard for uPrint or HP Designjet 3D Printer (700x800x850mm)	

#### Multi Purpose Wheeled Stand/Cupboard



This sturdily built unit has industrial grade locking castors allowing it to be wheeled between rooms when needed. The unit does not include power or cable management, but will match our workstation range as part of a set of flexible resources within a department. The interior has one shelf and two drawers providing ample storage for accessories and materials.

Prices £*		*See Pricing Information on page 2
<b>TF-WS4-C2</b>	Multi-Purpose Wheeled Stand/Cupboard (700x800x850m)	

### TechSoft Machine Stands

These robust machine stands are suitable for single machine installation in a permanent workshop layout. Although not portable as such, their modular nature means that changing workshop layouts could be achieved for minimal expense, particularly if the initial provision of power in the room takes these units into account. The machine stands are available with locking underbench cupboards that include a single shelf for storing tools and accessories.

Machine Stands are supplied without machines, but do include an extraction unit where indicated. The machine and any switches provided will need professionally wiring to a suitable isolator. Two configurations are available.

#### Machine Stand / Machine Stand with Optional Cupboard



SF-STAND4

SF-STAND5

SF-STAND7

SF-WB15-M1

These units will accommodate a bench drill or any other bench-top machine (see examples below).

Prices £*	*See Pricing Information on page 2	
SF-STAND4	Lervad Machine Bench, 600x600x790mm, Solid Beech Top	
SF-STAND5	Machine Bench, 700x600mm, adjustable height, MPX Top	
SF-STAND7	Machine Bench, 700x600mm, adjustable height, MPX Top with underbench cupboard containing shelf	
SF-WB15-M1	Bott Cubio Workstand 750 x 750 x 840mm. MPX Worktop	

#### Machine Stand with Extraction

This stand includes an auto-switching extraction unit. This configuration has been created specifically for use with a fretsaw (see example below).



Prices £*	*See Pricing Information on page 2	
MM-EXTRACT104P1	TechSoft Fretsaw Workstation 750 x 750 x 840mm. Excluding Fretsaw but complete with auto-switching Mobile Extractor (order fretsaw and footswitch separately)	



See page 158



See page 153

### TechSoft Machine Workstations



Shown here with Optimum Drill supplied separately (see page 158).

A TechSoft workstation provides an ideal base for additional small machine tools that will allow them to be shared between rooms as timetables and project work demands. Each workstation features industrial quality locking castors for security once the unit is in place. Mushroom-headed push-stop buttons with key-switch release, control the operation of the machine and extraction power outlets. Power status indicators allow a quick visual check if the machine is operational. The Machine Workstation ensures that not only the machine, but all the necessary switches and wiring requirements, move with it.

Machines are not included with these units. If ordered complete with a machine from TechSoft, this will be fully installed before delivery for a true plug and play solution.

#### Machine Workstation with Foot-stop

This unit will accommodate a bench drill, small metal lathe or bench-top milling machine and includes a latching foot-stop to ensure full compliance with safety regulations. Storage space below includes Gratnell trays for tooling, accessories and general use.

Prices £*	*See Pricing Information on page 2	
TF-WS3-C4	*TechSoft Mobile Workstation for Workshop Machines, 1400x800x850mm c/w footstop, underbench cupboards containing in-built sockets, Gratnell trays and storage space.	

\*N.B. Legacy or customer supplied equipment will require professional installation at additional cost. TechSoft supplied new machines will be fully installed before delivery.

### Premium Quality Hexagonal Workbench



SF-WB94WT +  
SF-WB94A

SF-WB95M +  
SF-WB95A

Reversible inner part for  
flush top or tool well

Woodworking  
Vice (included)



'Piggyback'  
Metalworking  
Vice (optional extra)



### Premium Quality Hexagonal Workbenches

These high quality hexagonal workbenches offer flexibility and space saving advantages for workshops, whilst still providing adequate individual space for practical work. The shape of the benches makes them ideal as planning tables for design and group work.

### Unique Beech Worktops

The beech worktop is in two parts – the outer hexagonal part is 1600mm across the flats, the inner hexagonal part is just 1000mm across the flats. The inner part can be inserted either way up to give the choice of a completely flush bench surface, or a central recess to provide a useful tool well.

The beech worktop is unique and has been specially designed to reduce any warping which can otherwise occur where benches are to be used in hot climates or need to be shipped in sea containers. The 40mm premium quality solid beech has an additional 30mm lipping.

A phenolic top alternative is available to provide a multi-purpose workbench, ideal where a significant amount of metalwork is to take place.

### Powder-Coated Steel Frame

The powder-coated steel frame is part welded and part bolt-together for ease of transport and installation. The legs have an adjustable steel footplate with a protective rubber footpad which can be used to level the workbench, even on very uneven floors.

### Optional Large Under-Cupboard

An optional under-cupboard is available which fits neatly under the bench. It has a shelf and lockable double doors on two sides, thus creating a large storage area under the bench. The cupboard is made from 18mm MFC with matching ABS edging.

### Vices

Each beech top workbench is supplied with six high quality 7" Spear and Jackson Eclipse quick-release woodworking vices fitted with beech jaws. These can be fitted with 'Piggyback' metalwork vices (supplied separately) if required. The phenolic top workbench comes with a choice of woodwork and/or metalwork vices.

#### Prices £\*

\*See Pricing Information on page 2

#### Beech Top

SF-WB94W	Hexagonal Workbench (without under bench cupboard) c/w 6 x 7" quick release woodwork vices. Solid beech top with reversible tool well, steel frame, 1600mm across flats, 824mm high	
SF-WB94A	Large 18mm Beech under bench cupboard with locking doors at opposite ends, centre divider and adjustable height shelf. Also includes one pair of triangular side shelves	
MTB-VICE3	'Piggyback' Metalwork 3" vice	

#### Multi Purpose Phenolic Top

SF-WB95	Hexagonal Craftwork Bench (without the under-cupboard). Phenolic top for multi-material use.	
SF-WB95A	Large Two Tone Grey under bench cupboard with locking doors at opposite ends, centre divider and adjustable height shelf. Also includes one pair of triangular side shelves.	
SF-WB95W	Hexagonal Craftwork Bench (without the under-cupboard) c/w 6 x 7" Woodwork Vices. Phenolic top for multi-material use.	
SF-WB95M	Hexagonal Craftwork Bench (without the under-cupboard) c/w 6 x EMV3 4" Metalwork Vices. Phenolic top for multi-material use.	
SF-WB95WM	Hexagonal Craftwork Bench (without the under-cupboard) c/w 3 x 7" Woodwork Vices and 3 x EMV3 4" Metalwork Vices. Phenolic top for multi-material use.	

## Nortek Technology Workbenches

### Nortek Craftwork 1000 / Height Adjustable Workbench



SF-WB1WM

This cost effective multi-media bench system uses the same fully welded heavy duty tubular steel framework as the Craftwork 2000. It has a unique textured phenolic plastic coated top. Available in three configurations; for woodwork alone with four 180mm quick release woodwork vices, for multi-media with two wood and two metalwork vices and for metalwork with four 100mm metalwork vices. The epoxy powder-coated steel framework can be finished in a number of colours, but light grey is supplied as standard.

#### Optional Underbench Cupboards

There are two sizes of underbench cupboard available. Both are lockable and can be used for the secure storage of tools, project work or materials. The cupboard fits over the base 'X' frame and is double sided having hinged doors on both sides providing two separate storage compartments.



SF-WB1WM + SF-WB1A

The smaller cupboard (shown here) allows pupils to sit comfortably when the benches are used for alternative applications, eg., design work.

#### Height Adjustable Multi-Materials Workbench



SF-DESK4

This height adjustable workbench has a tough phenolic plastic coated top and is fitted with one woodwork and one metalwork vice. The base is fitted with fixing plates so that the workbench can be secured to the floor.

1200(W) x 600(D) x 670-970(H)mm

Prices £*		*See Pricing Information on page 2
SF-WB1W	Craftwork 1000 Multi-media Bench with 4 woodwork vices (1200 x 1200 x 810mm)	
SF-WB1WM	Craftwork 1000 Multi-media Bench with 2 wood & 2 metalwork vices (1200 x 1200 x 810mm)	
SF-WB1M	Craftwork 1000 Multi-media Bench with 4 metalwork vices (1200 x 1200 x 810mm)	
SF-WB1A	Legroom Underbench Cupboard for Craftwork 1000 (in grey and charcoal with trays)	
SF-WB1B	Double Sided Full Sized Underbench Cupboard for Craftwork 1000 (in grey and charcoal)	
SF-DESK4	Special Needs Multi Materials Workstation c/w woodwork vice and metalwork vice (1200 x 600 x 670-970mm)	

### Nortek Craftwork 2000



SF-WB10

This woodworking bench offers a handsome and strong combination of traditional beech and steel. The work surface is constructed from 40mm thick solid beech with additional 30mm lipping. A central recess accepts a rigid 600mm x 600mm beech framed tray. This serves either to create a completely flush bench surface, or reverses to provide a useful tool well. Each bench has a fully welded tubular steel framework with "X" frame stiffening. 75mm diameter legs terminate with round steel-plates for floor-fixing if required. The epoxy powder-coated steel framework can be finished in a number of colours, but light grey is supplied as standard.

Benches are supplied with four heavy-duty woodwork vices. Each vice has solid beech fitted jaws and an integral machined steel, adjustable bench stop.

#### Optional Underbench Cupboards

Two sizes of underbench cupboard are available. Both are lockable and can be used for the secure storage of tools, project work or materials. Cupboards fit over the base 'X' frame and have doors fitted to both sides to create two separate storage compartments.



SF-WB10 +  
SF-WB10A +  
4 MTB-VICE3

The smaller cupboard (shown here) allows pupils to sit comfortably when the benches are used for alternative applications, eg., design work.

Prices £*		*See Pricing Information on page 2
SF-WB10	Craftwork 2000 Woodworking Bench with 4 woodwork vices (1200 x 1200 x 815mm)	
SF-WB10A	Legroom Underbench Cupboard for Craftwork 2000 (woodgrain finish with trays)	
SF-WB10B	Double Sided Full Size Underbench Cupboard for Craftwork 2000 (woodgrain finish)	
MTB-VICE3	Nortek, 'Piggyback' Metalwork 3" vice	
SF-TROLLEY9	Vice Transport Trolley (Holds 12 piggyback metalwork vices)	
SF-RACKSTOR15	Nortek Fixed Metalwork Vice Rack, 1126 x 585mm (Floor fixed. Holds 24 piggyback metalwork vices)	
SF-RACKSTOR16	Nortek Metalwork Vice Rack with 3 drawers, 1126 x 585mm (Floor fixed. Rack holds 24 piggyback metalwork vices)	
SF-RACKSTOR15A	Upper Tool Storage Panel for SF-RACKSTOR15/16 (Fits into the top of the vice rack and can be fitted out with hook kits, see page 219)	

### Lervad Well Top Square Workbench



SF-WB55-BH +  
SF-WB52-SH +  
4 MTB-VICE11  
(Stools not included.)

The Lervad Well Top Workbench has a 40mm thick solid beech top with a central recess in the worksurface which accepts a beech framed tray. This acts as a tool well or reverses to fit flush with the worksurface.

#### Optional Underbench Shelf/Cupboards

Benches can be supplied with a lower shelf or a lockable cupboard for the secure storage of tools and materials.

SF-WB56-BH +  
4 MTB-VICE11  
(Stools not included.)



#### Height Adjustable Well Top Workbench



SF-WB57-BA +  
4 MTB-VICE11  
(Stools not included.)

This height adjustable work bench (680-960(H)mm) has a solid beech top with a central recess, and can be fitted with woodwork or metalwork vices. The legs are fitted with fixing plates so that the workbench can be secured to the floor.

Prices £*	*See Pricing Information on page 2	
SF-WB55-BH	Lervad Well Top Workbench, 1200 x 1200 x 830mm, 40mm solid beech top	
SF-WB52-SH	Under Shelf for SF-WB55	
SF-WB56-BH	Lervad Well Top Workbench with integrated cupboard, 1200 x 1200 x 830mm, 40mm solid beech top	
SF-WB57-BA	Lervad Height Adjustable Well Top Workbench, 1200 x 1200 x 680-960mm, 40mm solid beech top	
MTB-VICE11	Record Woodwork Vice V175 fitted with solid beech jaws to Lervad Workbench	
MTB-VICE17	Record No. 1 Mechanics Vice, 75mm (3") jaw width, opening 90mm, with vice holder to mount onto Lervad flush top workbenches	
MTB-VICE15	Record No. 3 Mechanics Vice, 100mm (4") jaw width, opening 120mm fitted to Lervad workbench	

### Lervad Flush Top Square Workbench



SF-WB52-BH +  
SF-WB52-SH +  
4 MTB-VICE11  
(Stools not included.)

This handsome bench features solid beech construction throughout and a solid 40mm beech top. To aid transportation, the solid top is supplied in two sections which bolt firmly and accurately together. Once assembled to the frame, this bench is heavy and provides a very stable work platform.

#### Optional Underbench Shelf/Cupboards

Benches can be supplied with a lower shelf or a lockable cupboard for the secure storage of tools and materials.

SF-WB53-BH +  
4 MTB-VICE11  
(Stools not included.)



#### Height Adjustable Flush Top Workbench



SF-WB54-BA +  
4 MTB-VICE11  
(Stools not included.)

This height adjustable work bench has a solid beech top and telescopic steel legs that provide height adjustment from 640 – 920mm. Legs are fitted with steel plates to allow fixing to the floor if required. These benches can be fitted with woodwork or metalwork vices.

Prices £*	*See Pricing Information on page 2	
SF-WB52-BH	Lervad Flush Top Workbench, 1200 x 1200 x 830mm, 40mm solid beech top	
SF-WB52-SH	Under Shelf for SF-WB52	
SF-WB53-BH	Lervad Flush Top Workbench with integrated cupboard, 1200 x 1200 x 830mm, 40mm solid beech top	
SF-WB54-BA	Lervad Height Adjustable Flush Top Workbench, 1200 x 1200 x 680-960mm, 40mm solid beech top	
MTB-VICE11	Record Woodwork Vice V175 fitted with solid beech jaws to Lervad workbench	
MTB-VICE17	Record No. 1 Mechanics Vice, 75mm (3") jaw width, opening 90mm, with vice holder to mount onto Lervad flush top workbenches	
MTB-VICE15	Record No. 3 Mechanics Vice, 100mm (4") jaw width, opening 120mm fitted to Lervad workbench	

## Lervad Technology Workbenches

### Lervad Flush Top Rectangular Workbench



These sturdy workbenches are available in 1200mm and 1500mm width. They are ideal where space is tight or for use as demonstration benches. Each comes with a 40mm solid beech top.

SF-WB39-BH +  
2 MTB-VICE11 (Stools  
not included.)

#### Optional Underbench Shelf/Cupboards

Benches can be supplied with a lower shelf or a lockable cupboard for the secure storage of tools and materials.

SF-WB43-BH +  
2 MTB-VICE11



Prices £*		*See Pricing Information on page 2
<b>1200mm Wide:</b>		
SF-WB42-BH	Lervad Flush Top Workbench, 1200 x 750 x 830mm	<b>430.00</b>
SF-WB42-SH	Under Shelf for SF-WB42	<b>55.00</b>
SF-WB43-BH	Lervad Flush Top Workbench with integrated cupboard, 1200 x 750 x 830mm	<b>770.00</b>
SF-WB44-BA	Lervad Height Adjustable Flush Top Workbench, 1200 x 750 x 680-960mm	<b>1,110.00</b>
<b>1500mm Wide:</b>		
SF-WB39-BOH	Lervad Flush Top Workbench, 1500 x 750 x 830mm	<b>480.00</b>
SF-WB39-SH	Under Shelf for SF-WB39	<b>60.00</b>
SF-WB40-BOH	Lervad Flush Top Workbench with integrated cupboard, 1500 x 750 x 830mm	<b>810.00</b>
SF-WB45-BOA	Lervad Height Adjustable Flush Top Workbench, 1500 x 750 x 680-960mm	<b>1,130.00</b>
<b>Optional Vices:</b>		
MTB-VICE11	Record Woodwork Vice V175 fitted with solid beech jaws to Lervad workbench	<b>110.00</b>
MTB-VICE17	Record No. 1 Mechanics Vice, 75mm (3") jaw width, opening 90mm, with vice holder to mount onto Lervad flush top workbenches	<b>120.00</b>

### Lervad Metalwork Bench (4 seat)



This Metalwork bench has an extremely sturdy construction and a 40mm thick solid beech top with two protective steel rails. The bench is fitted with four (100mm) metal work vices as standard.

SF-WB49-BHRH +  
SF-WB49-SH

#### Optional Underbench Shelf/Cupboard

Benches can be supplied with a lower shelf or a lockable cupboard.

Prices £*		*See Pricing Information on page 2
SF-WB49-BHRM	Lervad Flush Top Workbench, 1800 x 900 x 830mm, 40mm solid beech top with 2 protective steel rails and 4 mechanics vices (100mm)	
SF-WB49-SH	Under Shelf for SF-WB49	
SF-WB50-BHRM	Lervad Flush Top Workbench with integrated cupboard, 1800 x 900 x 830mm, 40mm solid beech top with 2 protective steel rails, and 4 mechanics vices (100mm)	
SF-WB51-BARM	Lervad Height Adjustable Flush Top Workbench, 1800 x 900 x 680-960mm, 40mm solid beech top with 2 protective steel rails and 4 mechanics vices (100mm)	

### Lervad Side Benching



#### Open Frame Side Benches

These side benches have a 30mm solid beech top. They are available in two widths, 900mm and 1760mm, two depths, 600 and 750mm and two heights 790mm and 830mm.

Prices £*		*See Pricing Information on page 2
<b>900mm Wide:</b>		
SF-WB61-BL	Lervad Open Frame Side Bench, 900 x 600 x 790mm	<b>350.00</b>
SF-WB61-BH	Lervad Open Frame Side Bench, 900 x 600 x 830mm	<b>350.00</b>
SF-WB63-BL	Lervad Open Frame Side Bench, 900 x 750 x 790mm	<b>360.00</b>
SF-WB63-BH	Lervad Open Frame Side Bench, 900 x 750 x 830mm	<b>360.00</b>
<b>1760mm Wide:</b>		
SF-WB65-BL	Lervad Open Frame Side Bench, 1760 x 600 x 790mm	<b>520.00</b>
SF-WB65-BH	Lervad Open Frame Side Bench, 1760 x 600 x 830mm	<b>520.00</b>
SF-WB67-BL	Lervad Open Frame Side Bench, 1760 x 750 x 790mm	<b>560.00</b>
SF-WB67-BH	Lervad Open Frame Side Bench, 1760 x 750 x 830mm	<b>560.00</b>



#### Side Benches with Cupboards

These side benches have a 30mm solid beech top and cupboard underneath. They are available in two widths, 900mm and 1760mm, two depths, 600 and 750mm and two heights 790mm and 830mm.

Prices £*		*See Pricing Information on page 2
<b>900mm Wide:</b>		
SF-WB62-BL	Lervad Side Bench with Cupboard, 900 x 600 x 790mm	
SF-WB62-BH	Lervad Side Bench with Cupboard, 900 x 600 x 830mm	
SF-WB64-BL	Lervad Side Bench with Cupboard, 900 x 750 x 790mm	
SF-WB64-BH	Lervad Side Bench with Cupboard, 900 x 750 x 830mm	
<b>1760mm Wide:</b>		
SF-WB66-BL	Lervad Side Bench with Cupboard, 1760 x 600 x 790mm	
SF-WB66-BH	Lervad Side Bench with Cupboard, 1760 x 600 x 830mm	
SF-WB68-BL	Lervad Side Bench with Cupboard, 1760 x 750 x 790mm	
SF-WB68-BH	Lervad Side Bench with Cupboard, 1760 x 750 x 830mm	

### Seating

#### Alpha Stac Tek Stool

Designed for education these stools have a laminated beech dished seat with a waterfall front for added comfort. The 'skid base' frame allows the stools to be stacked six high or hung on a table top.



Prices £*		*See Pricing Information on page 2
SF-STOOL9	Alpha Stac Tek Stool, with footrest. Seat height 460, 560, 610 or 660mm.	

#### Alpha Stac Tek Stool with backrest

This is essentially an Alpha Stac Tek stool with a backrest. Ideal where students will be seated for extended periods of time. The 'skid base' frame allows the stools to be stacked four high or hung on a table top.



Prices £*		*See Pricing Information on page 2
SF-STOOL9A	Alpha Stac Tek Stool with Backrest. Seat height 560, 610 or 660mm.	

#### Nortek Super Stool

Superstools have an extremely durable construction with a double panelled breathing polypropylene seat. Stools can be stacked or hung on a table top.



Prices £*		*See Pricing Information on page 2
SF-STOOL1-C	Nortek Super Stool with Chrome Legs. 370 x 370mm. Seat height 460, 560 or 610mm.	
SF-STOOL1-S	Nortek Super Stool with Metallic Silver Legs. 370 x 370mm. Seat height 460, 560 or 610mm.	

#### Nortek Super Stool with Backrest

Ideal where students will be seated for longer periods of time. Stools can be stacked or hung on a table top.



Prices £*		*See Pricing Information on page 2
SF-STOOL1A-C	Nortek Super Stool with Chrome Legs and Backrest. Seat height 460, 560 or 610mm.	
SF-STOOL1A-S	Nortek Super Stool with Metallic Silver Legs and Backrest. Seat height 460, 560 or 610mm.	

#### Beech Stool

Traditional wooden stool, made from solid beech using glued and pinned mortice and tenon joints for lasting strength.



Prices £*		*See Pricing Information on page 2
SF-STOOL8	Beech Stool. Seat height 560mm.	

#### Basic Glide Chair

A welded oval tubular steel frame with shaped plywood seat and back. Available in clear varnish or a range of colours. Chairs can be stacked or hung on a desktop.



Prices £*		*See Pricing Information on page 2
SF-CHAIR12	Basic Glide Chair. Seat height 460mm.	

#### LuPo-Glide Chair

An ergonomically shaped polypropylene perforated air cushion seat with welded oval tubular steel frame. Chairs can be stacked or hung on a desktop.



Prices £*		*See Pricing Information on page 2
SF-CHAIR1	LuPo Glide Chair. Seat height 460mm.	

#### LuPo-Turn Chair

This is a mobile version of the LuPo-Glide Chair above.



Prices £*		*See Pricing Information on page 2
SF-CHAIR14A	Lupo-Turn Height Adjustable Swivel Chair with Castors. Seat height 450-550mm.	
SF-CHAIR14B	Lupo-Turn Height Adjustable Swivel Chair with Glides. Seat height 420-520mm.	

### Millennium Project Tables

The popular and versatile Millennium Project Table and Pupil Desk range has a heavy duty fully welded tubular steel framework using 50mm diameter legs and 60 x 20mm top support members. Individual units can be used together to form work tables that maximise the use of available space.



Available in either 725mm or 825mm heights - Please specify with order.

Prices £*		*See Pricing Information on page 2
<b>SF-TABLE2</b>	Square Table 1200 x 1200 x 725/825mm	
<b>SF-TABLE12</b>	Rectangular Table 1200 x 600 x 725/825mm	
<b>SF-TABLE13</b>	Rectangular Table 1500 x 600 x 725/825mm	
<b>SF-TABLE14</b>	Rectangular Table 1800 x 600 x 725/825mm	
<b>SF-TABLE11</b>	Rectangular Table 1500 x 1200 x 725/825mm	
<b>SF-TABLE3</b>	Rectangular Table 2400 x 1200 x 725/825mm	

### Round Ended Table

Various sizes of round-ended project tables are available. They can be used individually or in combination with rectangular tables to form shapes and sizes that suit specific requirements.



Available in either 725mm or 825mm heights - Please specify with order.

Prices £*		*See Pricing Information on page 2
<b>SF-TABLE15</b>	Round End Table 900 x 1200 x 725/825mm	
<b>SF-TABLE16</b>	Round End Table 1200 x 1200 x 725/825mm	
<b>SF-TABLE4</b>	Round End Table 1500 x 1200 x 725/825mm	
<b>SF-TABLE5</b>	Round End Table 1800 x 1200 x 725/825mm	

### Quadrant Table

Quadrant tables can be used to make learning spaces interesting and fun. When combined together or with rectangular units they produce a multitude of practical configurations or can produce a variety of shapes when combined with any of the other millennium project tables.



Available in either 725mm or 825mm heights - Please specify with order.

Prices £*		*See Pricing Information on page 2
<b>SF-TABLE17</b>	90° Quadrant 1000 x 600 x 725/825mm	

### Triangular Table

Equilateral triangular tables can be used as corner connector tables for project tables used against walls, or can produce a variety of shapes when combined with any of the other millennium project tables.



Available in either 725mm or 825mm heights - Please specify with order.

Prices £*		*See Pricing Information on page 2
<b>SF-TABLE6</b>	Triangular Table 1200 (sides) x 725/825mm	

### Alpha Tables

30mm beech laminate top with lacquered solid beech edges and silver cantilever underframe. Matches Alpha StacTek stools (see page 212).

Prices £*		*See Pricing Information on page 2
<b>SF-TABLE18-SS710</b>	Alpha Table (600x600x710mm)	
<b>SF-TABLE18-DS710</b>	Alpha Table (1200x600x710mm)	
<b>SF-TABLE18-SS710T</b>	Alpha Table with Tray (600x600x710mm)	
<b>SF-TABLE18-SS760T</b>	Alpha Table with Tray (600x600x760mm)	
<b>SF-TABLE18-DS710T</b>	Alpha Table with 2 Trays (1200x600x710mm)	
<b>SF-TABLE18-DS760T</b>	Alpha Table with 2 Trays (1200x600x760mm)	
<b>SF-TABLE20-S</b>	Height Adjustable Table (600x600x640,710,760mm)	
<b>SF-TABLE20-D</b>	Height Adjustable Table (1200x600x640,710,760mm)	
<b>SF-TABLE20-ST</b>	Height Adjustable Table with Tray (600x600x640,710,760mm)	
<b>SF-TABLE20-DT</b>	Height Adjustable Table with 2 Trays (1200x600x640,710,760mm)	

### Cantilever Workstations

Cantilever Workstations provide a smart and long-lasting furniture solution for general teaching areas and Technology rooms in particular. Units are modular in nature and based on 1200, 1500 or 1800mm lengths and 600 or 800mm work surface depths. Used with matching corner units and under-bench cupboards you will have the building blocks and flexibility to furnish almost any teaching space. To provide a bespoke solution, the basic Workstation is just the beginning. Sharing the same modular dimensions, a range of accessories now becomes available to create a custom teaching space for a wide variety of Technology teaching options.

### ICT and Computing

A range of cable management options, monitor stands and CPU trays securely fasten to the workstation to provide a smart and ergonomically sensitive solution for all types of computer-based work.

See page 215 for full details

### PECT – Pneumatics, Electronics and Control Technology

The on-bench facilities are all based around a modular trunking unit that fastens to the back edge of the workstation.



There are almost endless permutations of what facilities (and combinations of facility) can be selected but, in essence, options are based on the following:

- 240V sockets
- Fixed 5V DC protected power supply via standard 4mm sockets
- Dual rail protected power supply in stepped increments from 5V to 15V DC.
- Dual rail protected power supply adjustable from 5V to 15V DC. with integral analogue metering.
- Compressed air outlet for pneumatics work.
- 24V soldering iron supply.
- Solder fume extraction ports.
- RJ45 network ports.

See Electronics section page 92 for full details

### Height Adjustable PECT Workstation



This 1200 x 750mm workstation is fitted with MPLV mains/low voltage trunking with a 24V soldering iron supply. The workstation can also have additional fume extraction trunking added which can be connected to a suitable extraction unit.

See Electronics section page 92 for further options

Prices £*		*See Pricing Information on page 2
SF-DESK5	Special Needs PECT Workstation 1200 x 750 x 670-970mm	

### Basic Workstation



SF-DESK2G

### Optional Underbench Cupboards

This underbench cupboard is designed to fit the 1500 x 800mm version of the Cantilever Workstation (above) and provides a general storage facility for a wide range of applications, while still providing ample leg room even for adults. They are produced in two configurations, the SF-DESK2GCS has shelves and the SF-DESK2GCT is supplied with 20 trays.



SF-DESK2G + SF-DESK2GCS

### Height Adjustable Workstation



SF-DESK3 shown with  
Walton Drawing Board

This height adjustable workstation allows access for all students and should be considered for inclusion in all work areas. The height of the work surface can be adjusted from 670mm to 970mm high using a removable winding handle.

Prices £*		*See Pricing Information on page 2
SF-DESK2A	Cantilever Workstation 900 x 600 x 725mm	
SF-DESK2B	Cantilever Workstation 1200 x 600 x 725mm	
SF-DESK2C	Cantilever Workstation 1500 x 600 x 725mm	
SF-DESK2D	Cantilever Workstation 1800 x 600 x 725mm	
SF-DESK2E	Cantilever Workstation 900 x 800 x 725mm	
SF-DESK2F	Cantilever Workstation 1200 x 800 x 725mm	
SF-DESK2G	Cantilever Workstation 1500 x 800 x 725mm	
SF-DESK2H	Cantilever Workstation 1800 x 800 x 725mm	
SF-DESK2ARCT	Round Corner Table, 800 x 800 x 725mm for 600mm deep SF-DESK2A/B/C/D	
SF-DESK2ERCT	Round Corner Table, 1000 x 1000 x 725mm for 800mm deep SF-DESK2E/F/G/H	
SF-DESK2GCS	Underbench Cupboard with Shelves for SF-DESK2G only	
SF-DESK2GCT	Underbench Cupboard with Trays for SF-DESK2G only	
SF-DESK3	Special Needs Height Adjustable Workstation 1200 x 750 x 670-970mm	

### Computer Workstations



SF-DESK11H  
+ SF-DESK-CPU1  
+ SF-DESK-MS1.  
*(Computers not included)*

Smart and robust workstations that represent an effective standard for ICT furniture. Each features comprehensive cable management and clever design details for flexible, modular arrangement. Optional adjustable monitor stands and lower CPU cradles can be added for a complete solution.

Prices £*		*See Pricing Information on page 2
<b>With Standard Metalwork</b>		
SF-DESK11A	Infotech Computer Workstation 900 x 600 x 725mm	
SF-DESK11B	Infotech Computer Workstation 1200 x 600 x 725mm	
SF-DESK11C	Infotech Computer Workstation 1500 x 600 x 725mm	
SF-DESK11D	Infotech Computer Workstation 1800 x 600 x 725mm	
SF-DESK11E	Infotech Computer Workstation 900 x 800 x 725mm	
SF-DESK11F	Infotech Computer Workstation 1200 x 800 x 725mm	
SF-DESK11G	Infotech Computer Workstation 1500 x 800 x 725mm	
SF-DESK11H	Infotech Computer Workstation 1800 x 800 x 725mm	
SF-DESK11J	Half-Round Table 1200mm diameter	
SF-DESK11K	Half-Round Table 1600mm diameter	
<b>With Chrome-alike Metalwork</b>		
SF-DESK11A-C	Infotech Computer Workstation 900 x 600 x 725mm with Chrome-alike Metalwork	
SF-DESK11B-C	Infotech Computer Workstation 1200 x 600 x 725mm with Chrome-alike Metalwork	
SF-DESK11C-C	Infotech Computer Workstation 1500 x 600 x 725mm with Chrome-alike Metalwork	
SF-DESK11D-C	Infotech Computer Workstation 1800 x 600 x 725mm with Chrome-alike Metalwork	
SF-DESK11E-C	Infotech Computer Workstation 900 x 800 x 725mm with Chrome-alike Metalwork	
SF-DESK11F-C	Infotech Computer Workstation 1200 x 800 x 725mm with Chrome-alike Metalwork	
SF-DESK11G-C	Infotech Computer Workstation 1500 x 800 x 725mm with Chrome-alike Metalwork	
SF-DESK11H-C	Infotech Computer Workstation 1800 x 800 x 725mm with Chrome-alike Metalwork	
SF-DESK11J-C	Half-Round Table 1200mm diameter with Chrome-alike Metalwork	
SF-DESK11K-C	Half-Round Table 1600mm diameter with Chrome-alike Metalwork	




SF-DESK-MS1



SF-DESK-CPU1



SF-DESK-PB1



SF-DESK-MS2

Prices £*		*See Pricing Information on page 2
<b>Optional Extras</b>		
SF-DESK-CPU1	Adjustable CPU Tower Holder 380-525mm in height & 60-210mm in depth for SF-DESK11	
SF-DESK-MS1	Fixed Height Monitor Stand with universally joined VESA mounting bracket allowing the monitor to swivel in all directions. For use with SF-DESK11/12.	
SF-DESK-MS2	Height Adjustable Monitor Stand with knuckle jointed, dual beam arms with cable clamps, and swivel VESA mounting bracket. For use with SF-DESK11/12.	
SF-DESK-PB1	Computer Power Supply Block, fits inside cable trough, provides 4 individually fused 3.15A supplies and a separate earth. Conforms with BS 6396. For use with SF-DESK11/12.	

### Cabinet Information



Lervad roller shutter cabinets are strongly constructed on a Baltic pine veneered carcass with a Koto veneer interior. For additional safety, the beech veneered roller shutter is designed to open downwards and has an integrated brake (see image top right). Simply unlock the shutter with the key and the shutter will open and roll up gently into the base.

### Roller Shutter Cabinet with Shelves



SF-CB11A

SF-CB11B

SF-CB11C

Prices £*		*See Pricing Information on page 2
<b>Roller Shutter Cabinets</b>		
SF-CB11A	Lervad Roller Shutter Cabinet with 4 shelves (800 x 400 x 1800mm)	
SF-CB11B	Lervad Roller Shutter Cabinet with 4 shelves (1200 x 400 x 1800mm)	
SF-CB11C	Lervad Roller Shutter Cabinet with 4 shelves (1000 x 600 x 1800mm)	
<b>Top Roller Shutter Cabinets</b>		
SF-CB43A	Lervad Roller Shutter Top Cabinet with shelf (800 x 400 x 700mm)	
SF-CB43B	Lervad Roller Shutter Top Cabinet with shelf (1200 x 400 x 700mm)	
SF-CB43C	Lervad Roller Shutter Top Cabinet with shelf (1000 x 600 x 700mm)	

### Lervad Tool Cabinet - Virgin Interior




SF-CB13A

SF-CB13B

Although there are numerous designs specifically created to store certain woodwork/metalwork tools, vices, clamps, etc. for teachers wanting to create their own interiors the cabinets are also available with 'virgin interiors' (ie., without drilling or slotting).

Prices £*		*See Pricing Information on page 2
SF-CB13A	Lervad Roller Shutter Cabinet with 'virgin interior' for workshop tools (800 x 400 x 1800mm)	
SF-CB13B	Lervad Roller Shutter Cabinet with 'virgin interior' for woodwork tools (1200 x 400 x 1800mm)	
SF-CB13C	Lervad Roller Shutter Cabinet with 'virgin interior' for woodwork and metalwork tools (1200 x 400 x 1800mm)	

### Lervad Cabinet with Perfo / Louvre Interior




For those who require a flexible tool storage solution we are pleased to offer the (1200 x 400 x 1800mm) Lervad Roller Shutter Cabinet with a Perfo Panel interior. The Perfo panel accepts hook kits (see page 219).

The same Lervad cabinet is also available with a louvred back panel which holds storage bins.

Prices £*		*See Pricing Information on page 2
<b>Perfo Panel Interior</b>		
SF-CB24P	Lervad Roller Shutter Cabinet with a Perfo Back Panel (990 x 1371mm) for workshop tools	
SF-HOOKKIT-P5	20 piece hook kit for Perfo panel (for area 1sq m approx)	
See page 219 for information on Perfo Hook Kits.		
<b>Louvre Panel Interior with 48 Bins</b>		
SF-CB24B	Lervad Roller Shutter Cabinet with a Louvre Back Panel and: 24 bins (103 x 165 x 83mm) 24 bins (145 x 240 x 125mm)	

### Lervad Tool Cabinet - Fitted Interior

These cabinets are supplied with fitted racks, pegs and slots to neatly house a complete set of workshop hand tools. Full tool sets are available but the systems used are common to most brands and suppliers. Listings of the tool-set contents can be supplied on request.




SF-CB14 / 14T



SF-CB15 / 15T



SF-CB16 / 16T



SF-CB23 / 23T

Prices £*		*See Pricing Information on page 2	
SF-CB14	Lervad Roller Shutter Cabinet with Fitted Interior for Workshop Tools (exc. tools) 800 x 400 x 1800mm		
SF-CB14T	Workshop Tools for SF-CB14		
SF-CB15	Lervad Roller Shutter Cabinet with Fitted Interior for Woodwork Tools (exc. tools) 1200 x 400 x 1800mm		
SF-CB15T	Woodwork Tools for SF-CUPBOARD15		
SF-CB16	Lervad Roller Shutter Cabinet with Fitted Interior for Metalwork Tools (exc. tools) 1200 x 400 x 1800mm		
SF-CB16T	Metalwork Tools for SF-CUPBOARD16		
SF-CB23	Lervad Roller Shutter Cabinet with Fitted Interior for Woodwork & Metalwork Tools (exc. tools) 1200 x 400 x 1800 mm		
SF-CB23T	Woodwork & Metalwork Tools for SF-CB23		

### Lervad Tool Racks

These Tool Racks provide an alternative strategy for providing the hand tools that students need. Each rack is drilled, slotted and supplied with a full set of tools for an individual student. Alternatively racks can be supplied 'virgin' for drilling and slotting to accept alternative or existing resources. The locking cabinet ensures security and makes it straightforward to check-in and check-out tool sets as they are needed. A full list of tool-set contents can be supplied on request.



SF-TOOLRACK11  
Woodwork Tool Rack



SF-TOOLRACK12  
Metalwork Tool Rack



SF-TOOLRACK13  
Wood & Metal Tool Rack

Prices £*		*See Pricing Information on page 2	
SF-CB44B	Lervad Roller Shutter Cabinet with 2 shelves (24 tool rack capacity) 1200 x 400 x 1800mm (exc. tool racks)		
SF-TOOLRACK10	Lervad Virgin Tool Rack (no tools, not drilled or slotted)		
SF-TOOLRACK11	Lervad Woodwork Tool Rack (inc. 15 tools)		
SF-TOOLRACK12	Lervad Metalwork Tool Rack (inc. 15 tools)		
SF-TOOLRACK13	Lervad Wood & Metal Tool Rack (inc. 15 tools)		

### Lervad Cabinets for Vices and Clamps



An excellent aid to workshop tidiness and tool management, these roller shutter cabinets will securely house a selection of clamps, or the Lervad vices with vice holders needed to adapt woodwork benches for metalworking (see MTB-VICE17 pages 210-211.)

Prices £*		*See Pricing Information on page 2	
SF-CB45A	Lervad Roller Shutter Cabinet with Fitted Interior for 12 metalwork vices (exc. vices) 800 x 400 x 1800mm		
SF-CB45B	Lervad Roller Shutter Cabinet with Fitted Interior for 20 metalwork vices (exc. vices) 1200 x 400 x 1800mm		
SF-CB46A	Lervad Roller Shutter Cabinet with Fitted Interior for clamps (exc. clamps) 800 x 400 x 1800mm		

### Steel Cupboards



Our range of industrial-quality steel cupboards are built to withstand punishing use, but remain secure and attractive for the workshop or storeroom.


Shelf loading 85kg UDL.

#### Door and Drawer Colours



Smoke White Silver Blue Red Yellow Green

#### Body Colours



Black Smoke White Silver

Please state the colours you require when ordering.

Prices £*		*See Pricing Information on page 2	
<b>Large Cupboards 915(W) x 460(D) x 1780(H)mm</b>			
SF-CB50	Standard Steel Cupboard (3 adj. shelves)		
SF-CB54	Steel Wardrobe Cupboard (1 shelf and hanging rail)		
SF-CB51	Steel Cupboard/Wardrobe (3 adj. shelves & shelf with hanging rail)		
SF-CB52	8 Compartment Steel Cupboard (6 adj. shelves)		
SF-CB53	12 Compartment Steel Cupboard (9 adj. shelves)		
SF-CB56	Hanging File Steel Cupboard (5 adj. lateral rails, tiles not included)		
SF-CB55	Steel Open Cupboard (4 adj. shelves)		
<b>Slim Cupboards 610(W) x 460(D) x 1780(H)mm</b>			
SF-CB60	Slim Steel Cupboard (3 adj. shelves)		
SF-CB61	Slim Steel Wardrobe (1 shelf and hanging rail)		
<b>Medium Cupboards 915(W) x 460(D) x 1015(H)mm</b>			
SF-CB70	Steel Low Cupboard (1 adj. shelf)		
<b>Small Cupboards 460(W) x 460(D) x 890(H)mm</b>			
SF-CB71	Small Steel Cupboard (2 adj. shelves)		
SF-CB72	Small Steel Tool Cupboard (2 adj. shelves)		
<b>Workstation Cupboards 915(W) x 460(D) x 1060-1210(H)mm</b>			
SF-CB80	Steel Workstation (2 adj. shelves & 2 lockable drawers)		
SF-CB81	Steel Workstation (2 adj. shelves & 1 fixed shelf)		
SF-CB82	Open Steel Workstation (2 adj. shelves & 1 fixed shelf)		
SF-CB83	Open Steel Workstation (2 adj. shelves & 2 lockable drawers)		
<b>Optional Extras for Steel Cupboards</b>			
SF-CBA-PADF1	Additional Padlock Fitment for double door cupboards (must be fitted at time of purchase)		
SF-CBA-SHELF1P	Additional Shelf with Clips (900 x 460mm) for SF-CB50/54/55/70 (Includes 4 clips)		
SF-CBA-SHELF2P	Additional Shelf with Clips (610 x 460mm) for SF-CB60/61 (Includes 4 clips)		
SF-CBA-SHELF3P	Additional Shelf with Clips (460 x 460mm) for SF-CB71/72 (Includes 4 clips)		
SF-CBA-SHELF4P	Additional Shelf with Clips (305 x 460mm) for Steel Cupboards (Includes 4 clips)		

### TechSoft Hazardous Storage Cupboards



Dished Top available for Small Hazardous Cupboard (includes rubber mat)

These cupboards isolate flammable materials and vapours from potential sources of ignition and clearly identify hazardous products in case of a fire. All have a removable 75mm sump base tray and are supplied with adjustable 85kg shelves, and a fitted smoke & fire alarm.

Prices £*		*See Pricing Information on page 2	
SF-CB90	Standard Hazardous Cupboard (3 adj. shelves) 915(W) x 460(D) x 1780(H)mm		
SF-CB91	8 Compartment Hazardous Cupboard (6 adj. shelves) 915(W) x 460(D) x 1780(H)mm		
SF-CB92	Low Hazardous Cupboard (1 adj. shelf) 915(W) x 460(D) x 1015(H)mm		
SF-CB93	Small Hazardous Cupboard (2 adj. shelves) 460(W) x 460(D) x 890(H)mm		
SF-CB94	Small Hazardous Cupboard with dished top and rubber mat (2 adj. shelves) 460(W) x 460(D) x 890(H)mm		
<b>Optional Extras for Hazardous Cupboards</b>			
SF-CBA-PADF1	Padlock Fitment (must be fitted at time of purchase)		
SF-CBA-SHELF90P	Additional Shelf (900 x 460mm) for SF-CB90/92 (Includes 4 clips)		
SF-CBA-SHELF91P	Additional Shelf (460 x 460mm) for SF-CB91/93/94 (Includes 4 clips)		

### Bott Standard Duty Cupboard with Bins



Robust sheet steel construction with a flexible interior supplied with bins. The double hinged doors are lockable.

Prices £*		*See Pricing Information on page 2	
SF-CB107A	Bott Verso Bin Cupboard, 800 x 350 x 1000mm with 20 No. 3 bins (148 x 240 x 128mm) and 4 shelves		
SF-CB107B	Bott Verso Bin Cupboard, 1050 x 350 x 1000mm with 30 No. 3 bins (148 x 240 x 128mm) and 4 shelves		
SF-CB107C	Bott Verso Bin Cupboard, 800 x 350 x 2000mm with 44 No. 3 bins (148 x 240 x 128mm) and 10 shelves		
SF-CB107D	Bott Verso Bin Cupboard, 1050 x 350 x 2000mm with 66 No. 3 bins (148 x 240 x 128mm) and 10 shelves		

## Steel Storage Cupboards and Storage Shelving

### Bott Wall Cupboard



These wall cupboards are constructed of galvanised steel and come with 2 shelves which are adjustable on a 25mm pitch (Maximum loading 60kg per shelf).

Prices £*		*See Pricing Information on page 2
SF-CB108A	Bott Wall Cupboard 525 x 350 x 800mm	
SF-CB108B	Bott Wall Cupboard 800 x 350 x 800mm	
SF-CB108C	Bott Wall Cupboard 1050 x 350 x 800mm	

### Bott Tool Cupboard with Perfo Interior



This cupboard is constructed of galvanised steel and comes with a perfo interior which can be fitted out with hook kits to hold tools etc.

Prices £*		*See Pricing Information on page 2
SF-CB135-PP3	Bott Tool Cupboard with Perfo Interior 1050(W) x 650(D) x 2000(H)mm	
<b>Perfo Hook Kits</b> <i>N.B. Hooks supplied hold one tool each. Contact TechSoft for details of hooks/racks which will accommodate multiple tools.</i>		
SF-HOOKKIT-P4	15 piece hook kit for Perfo Panel	
SF-HOOKKIT-P5	20 piece hook kit for Perfo Panel	
SF-HOOKKIT-P8	30 piece hook kit for Perfo Panel	
SF-HOOKKIT-P9	40 piece hook kit for Perfo Panel	
SF-HOOKKIT-P10	60 piece hook kit for Perfo Panel	
SF-HOOKKIT-P11	80 piece hook kit for Perfo Panel	

### Bott Tool Cupboard with Combination Interior



This cupboard is constructed of galvanised steel and comes with a perfo/louvre back panel which can be fitted out with tool hooks and bins. There are also 3 drawers (75mm, 125mm and 175mm) and a shelf.

Prices £*		*See Pricing Information on page 2
SF-CB108D	Bott Verso Kitted Cupboard with Combination Interior 1050(W) x 550(D) x 2000(H)mm	
SF-HOOKKIT-P2	5 single hooks, 5 double hooks, 1 spanner holder for Perfo Panel	
SF-PBIN-M1	Pack of 32 No. 2 Plastic Bin, 103 x 165 x 83mm. Mixed colours	

### Heavy Duty Shelving



SF-RACKSTOR13A + SF-RACKSTOR13A-S

Each shelving unit features a strong galvanised steel frame and five melamine-faced shelves each capable of supporting 340kg of uniformly distributed load. This is class leading performance for demanding users. Available in two depths and two widths, these units will fit together to form a bespoke storage system. The units feature boltless assembly and are supplied complete with protective feet, mallet and safety weight loading labels.

Prices £*		*See Pricing Information on page 2
SF-RACKSTOR13A	Shelving Unit with 5 melamine shelves, 915 x 455 x 1980mm	
SF-RACKSTOR13B	Shelving Unit with 5 melamine shelves, 915 x 610 x 1980mm	
SF-RACKSTOR13C	Shelving Unit with 5 melamine shelves, 1220 x 455 x 1980mm	
SF-RACKSTOR13A-S	Additional Shelf for SF-RACKSTOR13A	
SF-RACKSTOR13B-S	Additional Shelf for SF-RACKSTOR13B	
SF-RACKSTOR13C-S	Additional Shelf for SF-RACKSTOR13C	

### Sheet Material Storage Racks

#### Nortek Racking



SF-RACKSHEETMAT1

#### Industrial Racking



SF-RACKSHEETMAT7




SF-RACKSHEETMAT6

Sheet material racks featuring steel construction and offering a space-saving, stable storage solution. Select the appropriate size for storing full sheets, prepared boards or mixed sizes. We recommend that racks are floor fixed for safety reasons.

Prices £*		*See Pricing Information on page 2
SF-RACKSHEETMAT1	Sheet Material Storage Rack 5 storage sections, 300mm apart, overall dimensions 1680(W)x750(D)x1000(H)mm	
SF-RACKSHEETMAT7	Sheet Material Vertical Storage Rack 3 storage sections 300mm apart, overall dimensions 1083(W)x1022(D)x1220(H)mm. Holds boards up to 2.4m high and 1.2m wide. Can be bolted to floor for extra stability.	
SF-RACKSHEETMAT6	Sheet Material Variable Height Vertical Storage Rack 4 storage sections 160mm apart, 5 support bars: 400, 550, 700, 850 & 1000mm high, overall dimensions 1400(W)x800(D)x1000(H)mm. 100kgs UDL between bars, 400kgs max UDL per rack. Basic floor fixings supplied.	

### Horizontal Storage Racking

#### Nortek Racking



This horizontal storage rack offers an alternative method of storing long materials. The racking is made up of fully welded heavy duty steel frameworks which have five pairs of 350mm long cantilever support arms (including the base arms) in the height. Each bay is spaced out so that the arms are equally spaced out. This racking requires both wall and floor fixing.

#### Prices £\*

\*See Pricing Information on page 2

<b>SF-RACKHORZ1</b>	Horizontal Storage Rack Bay (per bay)	
---------------------	---------------------------------------	--

#### Industrial Racking



Single Side  
(SF-RACKHORZ6P-500 + SF-RACKHORZ6EP-500)



Double Sided

A robust modular system for storing timber and metal stock featuring heavy-duty steel construction. Free-standing units are stable and fully load-bearing. Floor or wall-fixing can be used to ensure stability. Extension bays can be added. Double sided units make particularly good use of space and are often an ideal solution for storing longer lengths.

#### Prices £\*

\*See Pricing Information on page 2

#### Single Sided Cantilever Racking

(arms adjustable, 1000mm column centres, 2500mm height)

<b>SF-RACKHORZ6P-400</b>	Single Sided Racking 6 arms each 400mm length, 184kg capacity.	
<b>SF-RACKHORZ6EP-400</b>	Single Sided Racking Extension 3 arms each 400mm length, 184kg capacity.	
<b>SF-RACKHORZ6P-500</b>	Single Sided Racking 6 arms each 500mm length, 149kg capacity.	
<b>SF-RACKHORZ6EP-500</b>	Single Sided Racking Extension 3 arms each 500mm length, 149kg capacity.	

#### Double Sided Cantilever Racking


(arms adjustable, 1000mm column centres, 2500mm height)

<b>SF-RACKHORZ7P-400</b>	Double Sided Racking 12 arms each 400mm length, 184kg capacity	
<b>SF-RACKHORZ7EP-400</b>	Double Sided Racking Extension 6 arms each 400mm length, 184kg capacity	
<b>SF-RACKHORZ7P-500</b>	Double Sided Racking 12 arms each 500mm length, 149kg capacity	
<b>SF-RACKHORZ7EP-500</b>	Double Sided Racking Extension 6 arms each 500mm length, 149kg capacity	

N.B. All the above are also available with 1500mm column centres at an additional cost of #07162 per unit

### Vertical Storage Racking

#### Nortek Racking



This two metre high vertical storage rack is made up of four 500mm wide bays. Each bay has a 500mm square sheet steel base tray and a welded tubular steel upright frame. The mid-way arms are provided with a material retaining drop latch rail. The rack can be extended in length by fitting additional add-on bays.

N.B. This rack is not designed to be free-standing and for safety reasons requires fixing both to the floor and to the wall.

#### Prices £\*

\*See Pricing Information on page 2

<b>SF-RACKVERT1</b>	Vertical Storage Rack (2000 x 500 x 2000mm, Four 500mm wide bays)	
<b>SF-RACKVERT1A</b>	Extension Bay for SF-RACKVERT1	

#### Industrial Racking



SF-RACKVERT2

SF-RACKVERT3

These industrial-quality vertical racks feature robust steel construction and are supplied flat-packed for easy bolt-together assembly. Extension bays can be added for a bespoke storage solution. The upper bay sections have additional dividers to help segregate longer lengths of different section materials. These can be used as free-standing units but bolting to the floor is recommended for extra stability. Select the appropriate units for neatly and safely storing material from 2.5 to 4m long. Vertical racking offers a distinct advantage for saving precious floor space.

#### Prices £\*

\*See Pricing Information on page 2

<b>SF-RACKVERT2</b>	Vertical Storage Rack (1350 x 550 x 1500mm, includes 3 adjustable dividers and floor fixings)	
<b>SF-RACKVERT2A</b>	Extension Rack of SF-RACKVERT2 (1300 x 550 x 1500mm)	
<b>SF-RACKVERT2B</b>	Extra Divider for SF-RACKVERT2	
<b>SF-RACKVERT3</b>	Vertical Storage Rack (1350 x 550 x 2700mm, includes 3 adjustable dividers and floor fixings)	
<b>SF-RACKVERT3A</b>	Extension Rack for SF-RACKVERT2 (1300 x 550 x 2700mm)	
<b>SF-RACKVERT3B</b>	Extra Bottom Divider for SF-RACKVERT3	
<b>SF-RACKVERT3C</b>	Extra Top Divider for SF-RACKVERT3	